

Defense Tow Bars

When strength really counts




Defense Division



120K




Defense Division



- 120,000 lbs of defense grade towing capacity
- A Blue Ox® exclusive — swivel pintle and clevis
- Powerful enough to tow up to thirteen HUMVEEs (8,900 lbs. average weight)
- Automatic locking legs
- Self-aligning hook-up
- 57 ½" wide hook-up zone
- No assembly required
- One year warranty

80K

UNIVERSAL ADAPTERS



- 80,000 lbs of defense grade towing capacity
- Swivel pintle and clevis — Blue Ox® strong
- Automatic locking legs
- Self-aligning hook-up
- Wide hook-up zone
- No assembly required
- One year warranty



210-0172



210-0177

40K



- Defense strong
- 40,000 lbs of towing capacity
- A Blue Ox® exclusive — swivel pintle and clevis
- No latching pins
- No assembly required
- One year warranty

20K



- 20,000 lbs of towing capacity
- Swivel pintle and clevis — Blue Ox® strong
- Adjustable legs mean easier coupling and uncoupling
- Superior handling on rough terrain
- Tight turning radius No assembly required
- Includes offset triple lugs
- One year warranty

ONE PERSON HOOK-UP

A Blue Ox® swivel pintle and clevis makes a huge difference in hook-up time and ease of operation — on and off the road. These illustrations show how much range of motion these quality Blue Ox® products have during the coupling process.



Illustration of swivel lug connection



Illustration of Blue Ox® swivel pintle connection



Defense Division

When lives are on the line and big jobs just have to be done, count on Blue Ox® towbars to meet the challenge. Our defense grade towbars are designed with heavy-duty jobs in mind and on-the-line. Unique industry leading features team up with quality and affordability to make the grade.

| GSA No. GS30F007AA | | SPECIFICATIONS | | | Cage No. 1BW39 |
|--------------------|-------------|----------------|------------|------------|----------------|
| Towing capacity | 120,000 lbs | 80,000 lbs | 40,000 lbs | 20,000 lbs | |
| Safety factor | 1.3 | 1.3 | 1.3 | 1.3 | |
| Pintle | Swivel | Swivel | Swivel | Swivel | |
| Clevis | Swivel | Swivel | Swivel | Swivel | |
| Length extended | 74" | 61.27" | 43.6" | 43.6" | |
| Legs spread | 44.5" | 36.2" | 31" | 31" | |
| Collapsed Length | 63.63" | 51.42" | 39.25" | 37.75" | |

STRONG AS AN OX™

800-228-9289

GSA No. GS30F007AA
Cage No. 1BW39

www.blueox.com

Blue Ox
One Mill Road, P.O. Box 430 • Pender, NE 68047
ellenkietzmann@blueox.com
jayhesse@blueox.com