



BLUE OX

Hitches & Accessories



blueox.com



Contents



04 Blue Ox 06 Hitches

- 08 SwayPro
- 12 TrackPro
- 16 2-Point
- 18 Adjustable Ball Mounts
- 19 Pole Tongue Adapter
- 20 Accessories



Hesse Enterprises

BLUE **OX** is a fourth-generation family-owned company founded in 1925 as the Automatic Equipment Company. Today, our parent company is known as Hesse Enterprises.

We continue to produce our products in a plant on the Hesse family farm in Pender, Nebraska.

Award-winning receiver-mount tow bars, towed vehicle baseplates, supplementary braking systems, the premium SwayPro hitch featuring adjustment-free sway prevention, the TrackPro hitch with sway management, and a complete line of towing accessories.



Hitches

08 SwayPro


12 TrackPro

16 2-Point


18 Adjustable Ball Mounts

19 Pole Tongue Adapter

20 Accessories



SwayPro™ Weight Distributing Hitch



Caster in the hitch head constantly centers the trailer.

Spring bars augment the suspensions of the tow vehicle & trailer.

Rotating latches with clamp-on brackets for quick and easy setup.

Noise-free sway prevention never stops working, even in rain or snow.

Standard Tongue Weights Available: 350, 550, 750, 1000, 1500, 2000 (2.5" Shank)

Gross Towing Weight 20K maximum, 2-1/2" receiver.

7-Hole Shank Kits

BX #	Features
BXW0350	7-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0550	7-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0750	7-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1000	7-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1500	7-Hole Shank, Standard Hitch Head, Clamp-on Latches


9- Hole Shank Kits

BX #	Features
BXW0550-S	9-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0350-S	9-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0750-S	9-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1000-S	9-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1500-S	9-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW2000	9-Hole 2.5" Shank, Standard Hitch Head, Clamp-on Latches

11-Hole Shank Kits

BX #	Features
BXW0356	11-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0556	11-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW0756	11-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1006	11-Hole Shank, Standard Hitch Head, Clamp-on Latches
BXW1506	11-Hole Shank, Standard Hitch Head, Clamp-on Latches

SwayPro™ Weight Distributing Hitch Underslung



Caster in the hitch head constantly centers the trailer.
 Spring bars augment the suspensions of the tow vehicle & trailer.
 Rotating latches with clamp-on brackets for quick and easy setup.
 Noise-free sway prevention never stops working, even in rain or snow.

Standard Tongue Weights Available: 350, 550, 750, 1000, 1500.
 Gross Towing Weight 20K maximum, 2-1/2" receiver.



Trailers with a coupler welded underneath the frame will need to replace the standard hitch head with an underslung kit, listed below.

Underslung Kits


Mfg #	Features
BXW0353	7-Hole Shank Underslung Hitch Head 350lbs. Tongue Weight
BXW0553	7-Hole Shank Underslung Hitch Head 550lbs. Tongue Weight
BXW0753	7-Hole Shank Underslung Hitch Head 750lbs. Tongue Weight
BXW1003	7-Hole Shank Underslung Hitch Head 1000lbs. Tongue Weight
BXW1503	7-Hole Shank Underslung Hitch Head 1500lbs. Tongue Weight



SwayPro Underslung Hitch Head

Mfg #	Description
BXW4076	SwayPro Underslung Hitch Head

TrackPro™ Weight Distributing Hitch



Caster in the hitch head constantly centers the trailer.

Spring bars augment the suspensions of the tow vehicle & trailer.

Rotating latches with clamp-on brackets for quick and easy setup.

Rigid L-Brackets provide additional points of sway controlling friction.

Standard Tongue Weights Available:
600 (2" Ball) 800, 1000, 1300 (2-5/16" Ball).
Gross Towing Weight 13K maximum, 2" receiver.


7-Hole Shank Kits

Mfg #	Features
BXW0650	7-Hole Shank, 2" Ball Standard Hitch Head, Standard L-Brackets
BXW0850	7-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets
BXW1050	7-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets
BXW1350	7-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets

9-Hole Shank Kits

Mfg #	Features
BXW0851	9-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets
BXW1051	9-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets
BXW1351	9-Hole Shank, 2-5/16" Ball Standard Hitch Head, Standard L-Brackets

TrackPro™ Weight Distributing Underslung



Caster in the hitch head constantly centers the trailer.
 Spring bars augment the suspensions of the tow vehicle & trailer.
 Rotating latches with clamp-on brackets for quick and easy setup.
 Rigid L-Brackets provide additional points of sway controlling friction.



Trailers with a coupler welded underneath the frame uses the standard TrackPro Hitch Head but will need **BXW4069 Longer L-Bracket Kit**.

Standard Tongue Weights Available:
600 (2" Ball) 800, 1000, 1300 (2-5/16" Ball).
 Gross Towing Weight 13K maximum, 2" receiver.

Underslung Kits


Mfg #	Features
BXW0653	7-Hole Shank, 2" Ball Standard Hitch Head, Longer L-Brackets
BXW0853	7-Hole Shank, 2-5/16" Ball Standard Hitch Head, Longer L-Brackets
BXW1053	7-Hole Shank 2-5/16" Ball, Standard Hitch Head, Longer L-Brackets
BXW1353	7-Hole Shank, 2-5/16" Ball Standard Hitch Head, Longer L-Brackets



TrackPro/2-Point Longer L-Bracket Kit for Underslung

Mfg #	Description
BXW4069	Long L-Bracket Kit (Pair)

2-Point™ Weight Distributing Hitch



Round spring bars flex for a controlled ride.
Steel-on-steel friction minimizes sway.
L-Brackets keep spring bars in place.
Standard Tongue Weights Available: **600 (2" Ball)**, 800 & 1200 (2-5/16" Ball).
Gross towing weight 12K maximum.

Trailers with a coupler welded underneath the frame uses the standard Hitch Head but will need **BXW4069 Longer L-Bracket Kit**.

6-Hole Shank Kits

Mfg #	Features
BXW0675	6-Hole Shank, 2" Ball, Standard Hitch Head, Standard L-Brackets
BXW0875	6-Hole Shank, 2-5/16" Ball Standard Hitch Head Standard L-Brackets
BXW1275	6-Hole Shank, 2-5/16" Standard Hitch Head Standard L-Brackets



TrackPro/2-Point Longer L-Bracket Kit for Underslung

Mfg #	Description
BXW4069	Long L-Bracket Kit (Pair)

Adjustable Ball Mounts

Adjustable in height for level towing.
 Pre-installed 2" ball.
 Included clamshell converts 2" ball to 2-5/16".
 Will not drag on the ground like dual ball mounts.
 All-steel construction.

Clamshell Adapter



Mfg #	Description
BX88377	2" to 2-5/16" Clamshell Adapter



Mfg # BXH10141 **Description** 4" Drop/Rise, 2" Receiver, 10K



Mfg # BXH10171 **Description** 7" Drop/Rise, 2" Receiver, 10K



Mfg # BXH12241 **Description** 4" Drop/Rise, 2-1/2" Receiver, 12K



Mfg # BXH12271 **Description** 7" Drop/Rise, 2-1/2" Receiver, 12K

Hitch Accessories

SwayPro™ Hitch Shanks



Mfg #	Description
BXW4000	7 Hole, Max TRW 20,000 lbs (shown)
BXW4002	9 Hole, Max TRW 15,000 lbs
BXW4022	11 Hole, Max TRW 15,000 lbs.
BXW4028	9 Hole, 2-1/2" Rec. Max TRW 20,000 lbs.

SwayPro™ Latches



Mfg #	Description
BXW4010	Rotating, Clamp-On Latches
BXW4020	Rotating, Underclamp Latches
BXW4021	Rotating, Bolt-on Latches
BXW4027	Rotating Latches 8" Frame

TrackPro™ 2-Point Kits



Mfg #	Description
BXW4068	1/2" Retaining Key
BXW4071	Long L Brackets w/Mounts, Pair
BXW4072	L Bracket Plates
BXW4073	L Brackets w/Mounts, Single
BXW4074	L Brackets w/Mounts, Pair
BXW4069	Long L-Bracket Kit Pair

SwayPro™ Spring Bars & Wrench




Mfg #	Description
BXW4015	350 lb Spring Bars
BXW4005	550 lb Spring Bars
BXW4006	750 lb Spring Bars
BXW4007	1000 lb Spring Bars
BXW4008	1500 lb Spring Bars (shown)
BXW4029	SwayPro Wrench

TrackPro™ Hitch Shanks



Mfg #	Description
BXW4036	7 Hole, Max TRW 20,000 lbs
BXW4037	9 Hole, Max TRW 15,000 lbs.
BXW4038	11 Hole, Max TRW 15,000 lbs
BXW4039	Hole, 2-1/2" Rec., Max TRW 20,000 lbs.

TrackPro™ Spring Bars & Wrench



Mfg #	Description
BXW4050	600 lb Spring Bars
BXW4040	800 lb Spring Bars
BXW4041	1000 lb Spring Bars
BXW4042	1300 lb Spring Bars (shown)
BXW4043	Spring Bar Tool (shown)

Hitch Head Pin Kit



Mfg #	Description
BXW4047	SwayPro/TrackPro Hitch Head Pin Kit

Hitch Locks



Mfg #	Description
BX88351	Cplr. Lock, 1-7/8" to 2-5/16" (shown)
BX88402	Pin Style Coupler Lock
BX88403	Pin Style Coupler Lock & 5/8" x 3" Rec
BX88360	Universal King Pin Lock (shown)

Hitch Immobilizers

Eliminate jerking, excess movement and rattling between the receiver hitch and the ball mount, tow bar or drop or rise receiver.



Mfg #	Description
BX88224	2" Immobilizer Dual U-Bolt
BX88225	2-1/2" Immobilizer Dual U-Bolt
BX88312	2-1/2" to 2" Immobilizer Dual U-Bolt
BX88371	2" Single Pull Immobilizer (shown)
BX88372	2-1/2" Single Pull Immobilizer
BX88399	3" Single Pull Immobilizer

Hitch Accessories

Clamshell Adapter



Mfg #	Description
BX88377	2" to 2-5/16" Clamshell Adapter

SwayPro Pole Tongue Adapter



For boat trailers, ice fishing house trailers. 2000 lbs. Tongue weight capacity. Fits tongue widths 2 3/4" - 4 1/2". Fits tongue heights 3"-6". Limited lifetime warranty.

Mfg #	Description
BXW4023	Pole Tongue Adapter

5th Wheel Wiring Harness

Designed to mount in the bed of the truck using the truck's factory wiring, allowing for easy hookup of a 5th wheel trailer. Includes: 6' wire harness, 7 pole trailer socket, cable ties, and screws.



Mfg #	Description
BX88356	5th Wheel Wiring Harness

Customer Care

800-228-9289 • info@blueox.com

dealerportalblueox.com



blueox.com

One Mill Road, Industrial Park, Pender, NE 68047

V2

